



Anti-NFKB2 (Nuclear factor NF-kappa-B p100 subunit) Polyclonal Antibody

Category: Polyclonal Antibody

Catalog #: AB2A102

Antigen Synonym: LYT10(Lymphocyte translocation chromosome 10)

Species Reactivity: Human

Immunogen/Specificity:

Polyclonal antibody produced in rabbits immunizing with a synthetic peptide corresponding to C-terminal residues of human NFKB2 (Nuclear factor NF-kappa-B p100 subunit)

Description: NFKB2 (Nuclear factor NF-kappa-B p100 subunit) is a pleiotropic transcription factor which is present in almost all cell types and is involved in many biological processes such as inflammation, immunity, differentiation, cell growth, tumorigenesis and apoptosis. NF-kappa-B is a homo- or heterodimeric complex formed by the Rel-like domain-containing proteins RELA/p65, RELB, NFKB1/p105, NFKB1/p50, REL and NFKB2/p52. The dimers bind at kappa-B sites in the DNA of their target genes and the individual dimers have distinct preferences for different kappa-B sites that they can bind with distinguishable affinity and specificity. NF-kappa-B is controlled by various mechanisms of post-translational modification and subcellular compartmentalization as well as by interactions with other cofactors or corepressors. NF-kappa-B complexes are held in the cytoplasm in an inactive state complexed with members of the NF-kappa-B inhibitor (I-kappa-B) family. NFKB2 appears to have dual functions such as cytoplasmic retention of attached NF-kappa-B proteins by p100 and generation of p52 by a cotranslational processing. The proteasome-mediated process ensures the production of both p52 and p100 and preserves their independent function.

Reference:

- Schmid,R.M., et al, Nature 352 (6337), 733-736 (1991)
- Bours,V., et al, Mol. Cell. Biol. 12 (2), 685-695 (1992)
- Liptay,S., et al, Mol. Cell. Biol. 14 (12), 7695-7703 (1994)
- Potter,D.A., et al, J. Biol. Chem. 268 (25), 18882-18890 (1993)
- Bours,V., et al, Cell 72 (5), 729-739 (1993)
- Dobrzanski,P., et al, EMBO J. 13 (19), 4608-4616 (1994)
- Beg,A.A. and Baldwin,A.S. Jr., Oncogene 9 (5), 1487-1492 (1994)
- Li,Z. and Nabel,G.J., Mol. Cell. Biol. 17 (10), 6184-6190 (1997)
- Heusch,M., et al, Oncogene 18 (46), 6201-6208 (1999)

For Research Use Only

Contact: Antagene, Inc. | Tel: 1 (866) 964-2589 | Fax: 1 (888) 225-1868 | Email: Info@antageneinc.com