



## **Product Information Sheet**

## Biotin Conjugated Goat Anti-rabbit IgG

Catalog No.	BA1003-1	Purification	
-		This antibody was purified from antiserum by immunoaffinity chromatography which removes essentially all goat serum proteins, except the specific antibody for rabbit IgG.	
Size	1 mg		
Ід Туре	lgG		
<b>Immunogen</b> Rabbit IgG (whole molecular).		Raised in Goat	
Formulation Concentrated, Liquid		<i>Clonality</i> Polyclonal	
Storage Store at $4^{\circ}$ C for frequent use; at -20 $^{\circ}$ C for at least one year.		<i>Contents</i> 1 mg of biotin conjugated specific antibody. Biotin: Ab=20:1; 0.01M PBS; 1% BSA; 0.01% Thimerosal.	
Avoid multiple freeze-thaw cycles.		Specificity	
<b>Expiration</b> One year from the day of shipment.		This biotin conjugated antibody is specific for rabbit IgG and shows no cross-reactivity with rabbit IgA, IgM and other animal species IgG proteins.	
Applications Immunohistochemistry (IHC); Western blot (WB); Direct ELISA		<i>Labeling Method</i> Goat anti-rabbit IgG is conjugated to biotin by means of a method described by Bayer. ( <b>Reference</b> : Bayer,E.A. et al.,Meth.Enzymol.,62,308(1979))	
		<i>Application Notes</i> This antibody must be used with various kinds of enzymes and fluorescence conjugated avidin (streptavidin) in IHC, WB and ELISA. <b>Diluted by neutral PBS or TBS.</b>	
To reorder contact us at: Antagene, Inc. Toll Free: 1(866)964-2589		Recommended DilutionsIHC (paraffin-fixed section)1:100-200IHC (frozen-fixed section)1:100-200	

Toll Free: 1(866)964-2589 Tel: (408)400-9688 Fax: 1(888)225-1868 email: Info@antageneinc.com Website: www.antageneinc.com

IHC (paraffin-fixed section)	1:100-200		
IHC (frozen-fixed section)	1:100-200		
WB (DAB coloration)	1:200-400		
Direct ELISA	1:5000-20000		
Optimal working dilutions must be determined by end user.			