



Product Information Sheet

Peroxidase Conjugated Rabbit Anti-rat IgG (γ-chain specific)

Catalog No. BA1058-0.5

Size 0.5 mg

lg Type

Immunogen

Rat IgG (whole molecular).

Storage

Store at 4° C for frequent use; at -20°C for at least one year. Avoid multiple freeze-thaw cycles.

lgG

Expiration

One year from the day of shipment.

Applications

Dot blot; Western blot (WB); Direct ELISA antiserum by immunoaffinity chromatography which removes essentially all rabbit serum proteins, except the specific antibody for rat IgG.

Raised in Rabbit

Clonality Polyclonal

Contents

0.5 mg of peroxidase conjugated specific antibody; 0.01M PBS (pH7.4); 1% BSA.

Specificity

This peroxidase conjugated antibody is specific for rat IgG and shows no cross-reactivity with rat IgA, IgM and other animal species IgG proteins.

Labeling Method

Rabbit anti-rat IgG is conjugated to peroxidase by means of a method described by Wilson MB and Nakane PK.

(**Reference**: Wilson MB and Nakane PK. In Immunofluorescence and Related Staining Techniques, Elsevier/North Holland Biomedical Press, Amsterdam, P215 (1978).)

Preparation of Diluent Buffer

Use 0.01M TBS or 0.01M PBS to dilute. See "Recommended Dilutions" below for details.

Preparation of 0.01M TBS: Add 1.2g Tris, 8.5g NaCl; 450 μ l of purified acetic acid or 700 μ l of concentrated hydrochloric acid to 1000ml H₂O and adjust pH to 7.2-7.6. Finally, adjust the total volume to 1L.

Preparation of 0.01 M PBS: Add 8.5g sodium chloride, $1.4g Na_2HPO_4$ and 0.2g NaH₂PO₄ to 1000ml distilled water and adjust pH to 7.2-7.6. Finally, adjust the total volume to 1L.

Recommended Dilutions

Dot blot (Enhanced chemiluminescent coloration)	1:2000-4000
WB (DAB coloration)	1:500-3000
WB (Enhanced chemiluminescent coloration)	1:3000-10000
Direct ELISA (TMB coloration)	1:20000-40000
Optimal working dilutions must be determined by end user.	

To reorder contact us at: Antagene, Inc. Toll Free: 1(866)964-2589 Tel: (650) 964-2589 Fax: (650) 964-2519 email: Info@antageneinc.com

Purification

This antibody was purified from